

POINT 6 ACRE
GOAT KIDDING KIT CHECKLIST

EMERGENCY INFORMATION:

Veterinarian contact information: _____

Experienced goat contacts: _____

- Kidding positions chart
- Tube-feeding instructions
- How to handle a lifeless newborn kid instructions

KIDDING ASSISTANCE SUPPLIES

- Lubricant
- 4 pairs short gloves
- 4 pairs long gloves
- Towels (12+)
- Paper towels
- Headlamp
- Hot water (kettle)
- Travel mug, tea, or instant coffee
- OB gloves
- Lube

NEWBORN KID CARE

- Nasal mucus sucker
- Small jar for colostrum collection
- Syringe and feeding tube
- Iodine for umbilical cords
- Dental floss
- Scissors
- Vitamin E capsules
- Digital scale
- Spare CR2032 battery

WARMTH & RECOVERY

- Heating pad
- Laundry basket
- Rubbermaid bin for newborns between births

DOE SUPPORT & POST-KIDDING CARE

- Tums (calcium support)
- Calci-Mag-Phos
- Gluco Guard
- Selon-E — Selenium and Vitamin E Injection
- Multi-Vitamin-Mineral + Thiamine HCl Injectable
- E lytes Plus — vitamins and electrolyte water-soluble powder
- Applicators
- Drench applicator
- Bolus applicator
- Molasses
- Raspberry leaf
- Propylene glycol
- Bloat Eze
- Meloxicam Bovine 15 mg
- Depocillin 100 ml

MONITORING & RECORD KEEPING

- Thermometer
- Stethoscope
- Syringes — assorted sizes
- Needles — assorted sizes

PRACTICAL BARN ITEMS

- Feed bag (for under doe during kidding)
- Garbage bag for placenta
- Toilet paper and bucket
- Clean towels
- Gloves

KIDDING RECORD

Doe Name: _____
Breeding Date: _____
Expected Kidding Date: _____
Actual Kidding Date: _____
Kidding Start Time: _____
Placenta Passed: _____
Notes: _____

KID #1

Sex: _____
Birth Weight: _____
Time Born: _____
Notes: _____

KID #2

Sex: _____
Birth Weight: _____
Time Born: _____
Notes: _____

KID #3

Sex: _____
Birth Weight: _____
Time Born: _____
Notes: _____

KID #4

Sex: _____
Birth Weight: _____
Time Born: _____
Notes: _____

ADDITIONAL KIDDING NOTES

NOTE: This checklist reflects what we currently keep on hand at Point 6 Acre and is not intended as veterinary advice. Every farm's needs, experience level, and veterinary support may differ.